



PRODUCT-DETAILS

3GBP132323-ASB

IE2 High Efficiency Cast Iron Motors, 7.5 kW,
400 V (3GBP132323-ASB)



General Information	
Product ID	3GBP132323-ASB
ABB Type Designation	M3BP 132SMC 4
Catalog Description	IE2 High Efficiency Cast Iron Motors, 7.5 kW, 400 V (3GBP132323-ASB)

Ordering	
ABB Type Designation	M3BP 132SMC 4
Invoice Description	M3BP 132SMC 4
Product Name	3-Phase squirrel cage motor
Product Type	3BP2_M3BP_IE2_CI
Made To Order	No
Minimum Order Quantity	1 piece
Selling Unit of Measure	piece
Country of Origin	Spain (ES) Finland (FI) China (CN) Poland (PL)
Customs Tariff Number	85015220

Medium Description	7.5kW, 4 Poles, Frame Size 132, 3 Phases, 400V, 50Hz, IP55 Enclosure, IMB3/IM1001 Mounting (3GBP132323-ASB)
Short Description	7.5kW, 4P, Frame Size 132, 3PH, 400V, 50Hz, IP55, IMB3/IM1001

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	400 V	7.50 kW	1450 r/min	14.50 A	0.810	89.30 %	49.40 N·m	7.20
D	--	50 Hz	230 V	7.50 kW	1450 r/min	25.20 A	0.810	89.30 %	49.40 N·m	7.20
Y	--	60 Hz	460 V	7.50 kW	1760 r/min	12.70 A	0.820	90.50 %	40.88 N·m	8.20

Connection Configuration	Y
Temperature Class Default	--
Input Voltage (U _{in})	400 V
Frequency (f)	50 Hz
Output Power	7.5 kW
Altitude	1000 m
Ambient Temperature	40 °C
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE2 Full Load (100%) 89.3 % Partial Load (75%) 90.1 % Partial Load (50%) 90.0 %
IE Class Data (60 Hz)	IE Class IE2 Full Load (100%) 90.5 % Partial Load (75%) 90.4 % Partial Load (50%) 88.8 %
IP Class	IP55
Insulation Class	ICLF
Direction of Rotation	Both sides
Number of Poles (High)	4
Two Speed Motor	No
Type of Duty	S1
Voltage Code	S

Mechanical

Frame Material	Cast Iron
Frame Size	132
Bearing	6208-2Z/C3
Bearing NDE	6208-2Z/C3
Lubrication	For life
IM Class	IMB3 IM1001
Terminator Box Location	Top

Dimensions

Package Level 1 Units	1 carton
-----------------------	----------

Product Net Depth / Length	533 mm
Product Net Height	300 mm
Product Net Width	271 mm
Product Net Weight	73 kg
Gross Weight	78 kg

Environmental

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
SCIP	54c45c7b-7581-40ab-b615-c1dcb277d8a7 Finland (FI)

Classifications

Standards	IEC 60034-1
UNSPSC	26101100

Categories

Motors and Generators → IEC Low Voltage AC Motors → Process Performance Motors → IE2 High Efficiency Cast Iron Motors

